

2026 Lincoln Nautilus® SUV

TECHNICAL SPECIFICATIONS

1/15/2026 v. 1.0



BODY INFORMATION

Body Style	Sport Utility
Frame Construction	Unibody, high-strength steel
Body Material	Aluminum and steel
Trim Levels	Premiere, Reserve, Black Label™
Final Assembly Location	Changan Hangzhou Assembly Plant, China

DRIVETRAIN

Layout	All-wheel drive (AWD)
--------	-----------------------

ENGINE SPECS AND KEY FEATURES

	2.0L Turbocharged I-4	2.0L Turbocharged I-4 Hybrid
Horsepower (@ rpm)	250 @ 5,500 ⁽¹⁾	285 @ 5,500 ⁽²⁾
Torque (lb.-ft. @ rpm)	280 @ 3,000 ⁽¹⁾	295 @ 3,000 ⁽²⁾
Total Combined Horsepower	—	285 ⁽²⁾
Available Maximum Conventional Towing ⁽³⁾ (lbs.)	1,750	1,750
Displacement (liters/cubic inches)	2.0/122.0	2.0/122.0
Bore x Stroke (inches)	3.44 x 3.27	3.44 x 3.27
Compression Ratio (:1)	10.0	10.0
Valvetrain	Dual overhead camshaft (DOHC) 16-valve	Dual overhead camshaft (DOHC) 16-valve
Fuel Capacity (gallons)	20	20
Fuel Delivery	Direct injection	Direct injection
Fuel Requirement	87 octane (minimum) 91+ octane (recommended)	87+ octane (recommended)
Fuel Economy ⁽⁴⁾ (city/highway/combined)	21/29/24	29/31/30

- (1) Horsepower and torque ratings are based on premium fuel per SAE J1349® standard. Your results may vary. Horsepower and torque are independent attributes and may not be achieved simultaneously.
- (2) Calculated via combined performance of the engine and electric motor(s) with peak battery power. The calculations utilize SAE J1349® engine results and Ford electric motor dyno testing. Horsepower and torque ratings are independent attributes and may not be achieved simultaneously. Your results may vary.
- (3) With Class I Trailer Tow Package. When properly equipped. Max. towing varies based on cargo, vehicle configuration, accessories, and number of passengers.
- (4) Actual mileage will vary.

TRANSMISSION

2.0L Turbocharged I-4	8-speed automatic
2.0L Turbocharged I-4 Hybrid	Power-split electric CVT

	Gear Ratios (:1)	
	8-speed Automatic	Power-split Electric CVT
First	4.48	—
Second	3.15	—
Third	2.87	—
Fourth	1.84	—
Fifth	1.41	—
Sixth	1.00	—
Seventh	0.74	—
Eighth	0.62	—
Reverse	2.96	—
Final Drive Ratio	3.81	3.37

SUSPENSION

Front Configuration	Independent multi-link to steering knuckles, lower control arms and stabilizer bar
Front Shock Absorbers	Gas-pressurized, MacPherson strut with coil springs; available adaptive suspension
Rear Configuration	Independent integral-link with isolated subframe, coil spring and stabilizer bar
Rear Shock Absorbers	Gas-pressurized, mono-tube hydraulic dampers; available adaptive suspension

STEERING

Type Electronic power-assisted

Steering Column	Power-adjustable with memory
Overall Ratio (:1)	18.75
Turning Diameter (feet, curb-to-curb)	37.5

BRAKES

Type 4-wheel Anti-Lock Brake System (ABS)

Front Rotor Size (inches)	13.6 x 1.1
Rear Rotor Size (inches)	12.6 x 0.4
Parking Brake	Electric

EXTERIOR DIMENSIONS (inches unless otherwise noted)

Wheelbase	114.2
Overall Length	193.2
Vehicle Height (maximum)	68.2
Width (excluding mirrors)	76.9
Width (including mirrors)	85.4
Width (mirrors folded)	79.8
Track Width – Front	65.2
Track Width – Rear	65.3
Overhang – Front	37.8
Overhang – Rear	41.2
Angle of Approach (degrees)	19.3
Angle of Departure (degrees)	22.0
Ramp Breakover Angle (degrees)	16.5
Ground Clearance	8.0

INTERIOR DIMENSIONS (inches unless otherwise noted)

Seating Capacity	5
Seating Configuration	2-3

Row	Head Room	Leg Room	Shoulder Room	Hip Room
1st	39.6/39.1 ⁽¹⁾	43.5	58.9	56.8
2nd	39.8/38.4 ⁽¹⁾	43.1	58.0	56.3

(1) Nautilus Black Label™. Available at participating Lincoln Black Label™ Retailers only.

CARGO AREA DIMENSIONS⁽²⁾ (inches unless otherwise noted)

Cargo Length at Floor – Behind 1st Row	79.3/79.0 ⁽³⁾
Cargo Length at Floor – Behind 2nd Row	41.3
Cargo Length at Floor – Behind 2nd Row (maximum)	43.0
Cargo Length Above Floor – Behind 1st Row	74.9/74.6 ⁽³⁾
Cargo Length Above Floor – Behind 2nd Row	35.5
Cargo Length Above Floor – Behind 2nd Row (maximum)	43.7
Cargo Height (maximum)	32.2/30.2 ⁽³⁾
Width Between Wheelhouses	44.7
Width (maximum)	60.6
Rear Opening Height	29.0
Rear Opening Width – Lower	43.3
Lift-in Height	30.7
Open Liftgate Height to Ground	76.4/76.3 ⁽³⁾

(2) Cargo and load capacity limited by weight and weight distribution.

(3) Nautilus Black Label. Available at participating Lincoln Black Label Retailers only.

CARGO AREA VOLUME (cubic feet unless otherwise noted)

Passenger	113.5/110.8 ⁽⁴⁾
Behind 1st Row	71.3/68.8 ⁽⁴⁾
Hidden Cargo – Behind 1st Row	0.4
Behind 2nd Row	36.4/35.2 ⁽⁴⁾

(4) Nautilus Black Label. Available at participating Lincoln Black Label Retailers only.

WEIGHTS AND CAPACITIES (pounds unless otherwise noted)

Base Curb Weight	4,307/4,517 ⁽⁵⁾ /4,489 ⁽⁶⁾
Max. Towing Capacity⁽⁷⁾	1,750

(5) Nautilus Black Label. Available at participating Lincoln Black Label Retailers only.

(6) Nautilus Hybrid.

(7) With Class I Trailer Tow Package. When properly equipped. Max. towing varies based on cargo, vehicle configuration, accessories, and number of passengers.

WHEELS

Standard	Optional
19" bright-machined aluminum with Carbonized-painted pockets (Premiere)	20" bright-machined aluminum with Carbonized-painted pockets (Premiere, Jet Appearance Package on Premiere)
21" bright-machined aluminum with Dark Tarnished-painted pockets (Reserve)	21" bright-machined aluminum with Ebony-painted pockets (Reserve)
22" bright-machined aluminum with Ebony-painted pockets (Black Label)	22" Satin Dark Luster with Satin Chrome inserts (included in Jet Appearance Package on Reserve; included in Jet Appearance Package and Black Label models)

TIRES

Standard	Optional
255/60R19 all-season (Premiere)	255/55R20 all-season (Premiere with 20" bright-machined aluminum wheels with Carbonized-painted pockets)
255/50R21 all-season (Reserve)	255/45R22 all-season (Reserve with 22" Satin Dark Luster wheels with Satin Chrome inserts in Jet Appearance Package)
255/45R22 all-season (Black Label)	

WARRANTY

Bumper-to-Bumper

4 years/50,000 miles

Powertrain

6 years/70,000 miles

Hybrid/Electric Unique Components

8 years/100,000 miles

Safety Restraint System

5 years/60,000 miles

Corrosion (perforation only)

5 years/unlimited miles

Roadside Assistance – Original Owner

Warranty start date/life of vehicle

Roadside Assistance – Subsequent Owners

6 years/70,000 miles